

PROPOSED DRAFT  
SEPTEMBER 2014

707.01 JOINT FILLERS

Deleted: CONCRETE

707.01.1 Pavement

Deleted: Concrete

- A. **Expansion Joint Filler.** Furnish expansion joint filler Type II cork in accordance with AASHTO M 153.
- B. **Joint Sealing Material.** Furnish sealing material for all types of pavement joints that is a hot-poured thermoplastic rubber or rubber asphalt compound in accordance with **ASTM D6690**, furnished in one grade only. Use ready-mixed, cold applied joint fillers for sealing concrete pavement joints only with the Project Manager's prior written approval.

Deleted: AASHTO M 324

NO COMMENTS RECEIVED

FINAL DRAFT  
EFFECTIVE DECEMBER 11, 2014

707.01 JOINT FILLERS

707.01.1 Pavement

- A. **Expansion Joint Filler.** Furnish expansion joint filler Type II cork in accordance with AASHTO M 153.
- B. **Joint Sealing Material.** Furnish sealing material for all types of pavement joints that is a hot-poured thermoplastic rubber or rubber asphalt compound in accordance with ASTM D6690, furnished in one grade only. Use ready-mixed, cold applied joint fillers for sealing concrete pavement joints only with the Project Manager's prior written approval.